

JURUPA

WOOD COUTURE



MIRAGE[®]
INSPIRING BETTER LIVING

JURUPA

WOOD COUTURE

Scopri di più
Discover more



I campioni fotografati servono a dare un'idea indicativa del prodotto, colori e strutture non hanno nessun valore impegnativo. _ The samples photographed are intended to give an approximate idea of the product; the colours and textures shown are not binding. _ Die abgebildeten Muster sollen eine Vorstellung von dem Produkt vermitteln, Farben und Formen sind nicht verbindlich. _ Les échantillons sur photos servent à transmettre une idée du produit, des couleurs et des structures. Ils ne sont donnés qu'à titre indicatif et n'engagent pas le producteur. _ Las muestras fotografiadas sirven para dar una idea indicativa del producto, por lo que ni los colores ni las estructuras son vinculantes. _ Представленные на фотографии образцы служат исключительно в качестве примера продукта, цвета и структура не имеют никакого обязывающего значения.

JURUPA

WOOD COUTURE

Jurupa presenta l’armonia perfetta fra calore ed eleganza, le superfici si arricchiscono di dettagli stuccati, campiture dall’aspetto piallato e liscio, in 5 nuance dai raffinati toni neutri.


Jurupa: a perfectly smooth blend of warmth and elegance, in which surfaces are enhanced by grouted details and smooth, planed sections, in 5 sophisticated neutral shades.

Jurupa, eine perfekte Harmonie zwischen Wärme und Eleganz, in der die Oberflächen durch Stuckdetails und gehobelt, glatt wirkende Grundierungen in 5 Nuancen raffinierter neutraler Farbtöne bereichert werden.

Jurupa, une harmonie parfaite entre la chaleur et l’élégance, où les surfaces s’enrichissent de détails jointoyés et de fonds à l’aspect raboté et lisse, dans 5 nuances aux tons neutres raffinés.

Jurupa, armonía perfecta entre calidez y elegancia, donde las superficies se enriquecen de detalles estucados, decoraciones de aspecto cepillado y liso, en 5 versiones de refinados tonos neutros.

Jurupa系列，达到温暖和优雅之间的完美和谐，表面饰有粉刷细节，外观平整光滑的表面，备有5种精美的中性色调。



WILD JP05



P 4

CAMP JP04



P 8

MASTER JP03



P 12

CAMP JP04



P 14

WILD JP05



P 16

BASIC JP01



P 18

CAMP JP04



P 20

COOL JP02



P 22

MASTER JP03



P 26



WILD JP05 FLOOR: Wild JP05 NAT SQ 300x2400 / 12"x96"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
 WALL and TUB: Glocal Absolute GC06 SP SQ 1200x2780 / 48"x110"
 WALL SHOWER and TOP: Camp JP04 NAT SQ 200x1200 / 8"x48"
 BENCH: Norr Grå RR02




CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
TOP: Camp JP04 NAT SQ



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
KITCHEN WALL and TOP: Norr Grå RR02 NAT



CAMP JP04 FLOOR: Camp JP04 RD SQ 300x1200 / 12"x48" EVO_2/E™ 20mm
WALL: Glocal Type GC04 ST SQ 600x600 / 24"x24"





WILD JP05 FLOOR: Wild JP05 GP SQ 200x1200 / 8"x48"
RAILING: Glocal Iron GC20 SP SQ 1600x3200 / 63"x126"





BASIC JP01 FLOOR: Basic JP01 NAT SQ 200x1200 / 8"x48"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
COUNTER: Glocal Iron GC20 SP SQ 1600x3200 / 63"x126"



COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"
 WALL: Norr Grå RR02 NAT SQ 1600x3200 / 63"x126"






COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
WALL: Master JP03 NAT SQ 300x2400 / 12"x96"





JURUPA BASIC JP01

9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	43
MAPEI	112 Grigio Medio
LATICRETE	04 Sterling Silver



Shade variation



Slight variation



JURUPA COOL JP02

9 mm

- 300x2400 / 12"x96"
NAT SQ
- 200x1200 / 8"x48"
NAT SQ
- 200x1200 / 8"x48"
GP SQ

20 mm

2/e

- 300x2400 / 12"x96"
RD SQ
- 300x1200 / 12"x48"
RD SQ
- 600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	45	
MAPEI	111 Grigio Argento	
LATICRETE	89 Smoke Grey	



JURUPA MASTER JP03

9 mm

- 300x2400 / 12"x96"
NAT SQ
- 200x1200 / 8"x48"
NAT SQ
- 200x1200 / 8"x48"
GP SQ

20 mm

2/e

- 300x2400 / 12"x96"
RD SQ
- 300x1200 / 12"x48"
RD SQ
- 600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	30	
MAPEI	113 Grigio Argento	
LATICRETE	34 Sand Stone	



JURUPA
CAMP JP04

9 mm

- 300x2400 / 12"x96"
NAT SQ
- 200x1200 / 8"x48"
NAT SQ
- 200x1200 / 8"x48"
GP SQ

20 mm

2/e

- 300x2400 / 12"x96"
RD SQ
- 300x1200 / 12"x48"
RD SQ
- 600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI RECOMMENDED GROUTS	
KERAKOLL	26
MAPEI	134 Seta
LATICRETE	78 Sterling Silver




JURUPA
WILD JP05

9 mm

- 300x2400 / 12"x96"
NAT SQ
- 200x1200 / 8"x48"
NAT SQ
- 200x1200 / 8"x48"
GP SQ



STUCCHI CONSIGLIATI RECOMMENDED GROUTS	
KERAKOLL	26
MAPEI	136 Fango
LATICRETE	45 Raven



JURUPA

RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES


				 	 	 			
	200x1200 8"x48"	200x1200 8"x48"	300x2400 12"x96"	600x600 24"x24"	300x1200 12"x48"	300x2400 12"x96"	223x260 8¾"x10¼"	330x1200 8⅓"x48"	72x600 2⅞"x96"
Spessore - Thickness	± 9 mm	± 9 mm	± 9 mm	± 20 mm	± 20 mm	± 20 mm			
Superficie - Surface	NAT SQ	GP SQ	NAT SQ	RD SQ	RD SQ	RD SQ	NAT SQ	NAT SQ	NAT SQ
 JP01 Basic	UR31	UR37	UI92	-	-	-	UL71	ATF4	UJ68
 JP02 Cool	UR32	UR38	UI93	A	AR14	A	UL72	ATF5	UJ69
 JP03 Master	UR33	UR39	UI94	A	AR15	A	UL73	ATF3	UJ70
 JP04 Camp	UR34	UR40	UG63	A	AR16	A	UL74	ATF2	UJ71
 JP05 Wild	UR35	UR36	UI95	-	-	-	UL75	ATF6	UJ72
 Peso lordo per scatola Gross weight per box	30,92	30,92	Please refer to website www.mirage.it	32,57	32,00	Please refer to website www.mirage.it	-	-	-
 Pezzi per scatola Pieces for box	6	6		2	2		6	4	10
 Mq. scatola Mq. box	1,44	1,44		0,72	0,72		-	-	-
 Scatole per full pallet Boxes per full pallet	32	32		30	36		-	-	-
 Mq./pallet	46,08	46,08		21,60	25,92		-	-	-

NAT: Naturale - Natural - Natur/unpoliert - Naturelle - Natural - 天然 GP: Grip RD: Radiale

A: Disponibile - Available

* **Decoro su rete** - Mesh-backed decoration - Dekor auf netz - Décor sur filet - Decoración en red - 网板背帖装饰

** **Finitura a becco di civetta** - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - 鹰嘴边缘处理



JURUPA

STANDARD EN 14411 - G

CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征		NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值		
CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征				NAT	GP	RD 20mm
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING		
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING		
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING		
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING		
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING		
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%		
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	≠ 9 mm: S≥2.400N R≥48 N/mm² ≠ 20 mm: S≥12.500N R≥48 N/mm²		
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,48		
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³		
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹		
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA		
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5		
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT		
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			NAT	GP	RD 20mm
		DM 236/89 BCRA	> 0,40	> 0,40	> 0,40	> 0,40
		ANSI A326.3	Wet and Dry	≥ 0,42	≥ 0,55	≥ 0,55
		AS 4586	-	P2	P4	-
		DIN 51130	-	R9	R11	R11
		DIN 51097	-	A	A+B+C	A+B+C
		UNE 41901	≥ CL1	CL1	CL3	-
		BS 7976 sI.96-4S	Wet and Dry	-	≥ 0,36	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	BS 7976 sI.55-TRL	Wet and Dry	-	≥ 0,36	-

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage.it



Mirageit

Mirage Granito Ceramico S.p.a.

41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point

20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.

618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai

Building 7 - Ground Floor
d3 Dubai Design District - United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai